Note: Measurement is from top of well to surface of water not depth of well Flow Range Selection Charts Pump Outlet (5 To 14 GPM) 1 1/4" NPT (Ratings are in Gallons per Minute - GPM) Depth to pumping water Level (Lift)In Feet PUMP MODEL | HP | PSI 80 | 100 | 120 | 140 | 160 | 180 | 200 | 220 | 240 | 260 | 280 | 300 | 340 | 400 | 460 | 520 | 600 | 700 | 800 | 900 | 1000 | 1100 | 20 20 14 12.4 10.6 8.9 5.3 13.2 30 13.2 11.8 104 8.4 QF2-6 40 11.9 10.1 8.3 50 9.8 7.5 60 7.7 3.9 SHUT-OFF PSI 64 55 47 38 29 21 12 14.1 13.4 12.4 11.4 10.4 6.6 3.5 0 20 13.9 13.1 12.1 11.1 10.1 9.2 7.9 5.8 2.0 <<<< QF2-9 13.8 1/2 30 13.0 12.0 11.0 10.0 9.0 7.6 5.3 1.2 40 12.8 11.8 10.8 9.8 8,8 4.8 50 11.7 10.7 8.6 7.0 10.5 8.4 6.7 SHUT-OFF PSI 100 74 66 92 83 57 40 31 23 14 48 14.3 13.2 12.5 11.7 13.8 11.0 10.2 9.5 0 8.7 7.6 | 6.0 20 13.6 12.9 12.2 10.7 | 10.0 | 9.3 14.2 11.5 8.4 7.2 5.4 2.6 QF2-12 30 14.1 13.5 12.9 12.1 11.4 10.6 9.9 9.2 8.2 7.0 | 5.0 2.0 12.0 11.3 10.5 40 14.0 13.4 12.8 9.8 9.0 8.1 6.7 4.7 1.4 50 13.3 12.6 10.4 9.7 6.5 4.2 11.9 11.1 8.9 7.9 60 12.5 11.8 9.6 8.8 7.7 6.2 11.0 10.3 3.8 SHUT-OFF PSI 129 120 111 103 94 85 77 68 59 51 42 33 25 16 10.7 0 14.1 13.6 13.1 12.5 11.9 11.3 10.1 9.6 8.2 3.8 20 12.9 12.3 13.9 11.7 10.0 9.4 8.7 7.9 13.5 11.1 10.5 5.2 QF2-15 30 13.9 13.4 12.8 1 12.2 11.6 11.0 10.5 9.9 9.3 8.6 7.7 6.6 2.6 40 14.2 13.8 13.3 12.7 12.1 11.5 10.9 10.4 9.8 9.2 8.5 7.6 | 6.3 4.6 50 13.7 12.6 12.1 11.4 10.9 10.3 9.7 8.3 7.4 13.2 9.1 6.1 4.3 1.7 60 13.6 13.1 12.6 12.0 11.4 10.8 10.2 9.6 9.0 8.2 7.2 5.9 3.9 SHUT-OFF PSI 174 165 157 148 139 131 122 113 105 96 87 79 70 53 35 61 10 14.2 13.9 13.6 13.3 12.9 12.5 12.0 11.2 9.9 8.5 0 20 13.9 13.5 13.1 12.7 12.3 11.9 11.5 11.0 8.9 6.9 QF2-21 1 1/2 30 13.8 13.5 13.1 12.7 12.3 11.8 11.4 11.0 10.5 9.7 8.3 5.7 12.6 13.4 10.5 40 14.1 13.8 13.0 12.2 11.8 11.3 10.9 10.1 9.2 4.1 7.5 50 13.7 13.3 13.0 12.5 12.1 11.7 11.3 10.8 10.4 10.0 9.6 8.7 6.5 14 0 2.0 60 14.2 14.0 | 13.6 | 13.3 | 12.9 12.5 12.1 11.6 11.2 10.8 10.4 9.9 9.5 9.1 8.0 5.1 SHUT-OFF PSI 229 220 211 203 194 185 177 168 159 151 142 | 133 | 125 107 81 55 0 14.1 13.9 13.7 13.4 12.8 11.8 10.8 9.8 8.3 4.7 20 14.1 13.6 13.0 12.7 12.0 9.0 7.1 1.5 13.8 13.3 11.0 10.0 QF2-27 2 30 14 8.6 6.2 13.8 13.5 13.3 12.9 12.6 12.3 11.6 10.6 9.7 8.1 5.2 40 14.2 14.0 13.8 13.5 13.2 12.9 12.6 12.2 11.9 11.2 50 14.2 14.0 13.7 13.5 13.2 12.8 12.5 12.2 11.9 11.5 10.9 8.9 7.4 3.8 14.1 13.9 13.7 13.4 13.1 12.8 12.5 12.1 11.8 11.5 11.1 10.5 9.5 8.4 6.6 2.1

See QF2 Performance Curves for Higher Head Models. Specifications Subject to change without Notice.

0

20

40

50

60

3 30

SHUT-OFF PSI

SHUT-OFF PSI

QF2-34

14.0 | 13.8 | 13.6 | 13.4 | 13.2 | 13.0 | 12.6

13.8

332 | 324 | 315

13.6 13.4

224 | 216 | 207

13.8 | 13.7 | 13.5 | 13.3 | 12.8 | 12.2 | 11.5

129

11.9 11.2

11.6 10.9

306 | 298 | 289 | 272 | 246 | 220 | 194 | 159 | 116 | 73 | 29

198 | 181 | 155

13.9 13.7 13.3 12.7

13.0 12.8 12.3

13.7 13.5

13.9

13.2

13.8 | 13.2 | 12.5

13.1 12.4

103 68 25

12.0 11.3 10.8 8.9 6.7 2.7

11.7 11.0 10.0 8.5 6.0 1.3

10.5 9.4 7.5

10.2 9.0 6.9 3.1

10.8 9.7

11.9 10.9 9.6 7.9 4.6

8.0 5.1

4.2

285 | 276

259

250 | 242 | 233

268